

**IN THE HON'BLE HIGH COURT OF MADHYA PRADESH, PRINCIPAL SEAT, AT
JABALPUR**

(WP No. 1080/2022 & other connected matters)

In the matter of:-

Law student Association, Jabalpur,

Vs.

State of Madhya Pradesh & others.

**Compliance Report on behalf of CBI pursuant to the directions, issued
by this Hon'ble Court on 11.03.2024.**

MOST RESPECTFULLY SHEWETH: -

1. That, on 11.03.2024, this Hon'ble Court was pleased to direct CBI to submit list of deficient colleges mentioning deficiencies found therein during CBI inspections.
2. That, in compliance to the directions of this Hon'ble Court, a list of deficient colleges is being submitted indicating there in the deficiencies found during CBI inspection in the said Nursing Colleges.

PRAYER

In view of the above, it is most respectfully and humbly prayed that this compliance report may kindly be taken on record and such orders as deemed fit may be passed in the interest of justice.


(Deepak Purohit)
Dy. Supdt. of Police
CBI ACB Bhopal

Encl:- Annexure-A: List of deficient Nursing Colleges.

दीपक पुरोहित/DEEPAK PUROHIT
पुलिस उप अधीक्षक/Dy. Supdt. of Police
के.अ. ब्यूरो, भ. नि. शाखा, भोपाल
CBI, ACB, BHOPAL



LIST OF DEFICIENT COLLEGES

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
1	1	Govt. School of Nursing, Hamidia Hospital, Bhopal	<ol style="list-style-type: none">1. There are no sanctioned posts of Principal & Vice-Principal.2. Most of the faculty members are on rotation basis from Hamidiya Hospital Bhopal.3. Teacher–student ratio (1:10), as per norms, not adhered to.4. 02 numbers of classrooms are less than what is required by the prescribed norms.5. There is no computer in the computer lab. Hence deficient



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
2	5	Govt. College of Nursing, Anuppur	<ol style="list-style-type: none"> 1. The total built up area of the college is only 4000 sq. ft. College is running in rented building. 2. AV Aid lab & Advanced Skill Lab not available. 3. College has only 02 classrooms instead of 04. 4. Multipurpose Room is not available. 5. Community bags for students' training are not available. 6. No computer and internet facility available. <p>Hence severely Deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
3	6	Bhopal Nursing College, BMHRC, Bhopal	<ol style="list-style-type: none"> 1. Nutrition lab, AV Aid lab and Advanced skill labs are not available in the College. 2. All the labs are deficient in articles and equipment. 3. There are only 04 classrooms as against the requirement of 08 classrooms. 4. GNM programme of the college has been upgraded to B Sc programme but faculty members have not been upgraded. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
4	7	Govt. Nursing College, JAH Hospital, Gwalior	Regular classes and clinical training of the students are being conducted but college lacks infrastructure and faculty members (13 faculty members against the requirement of 48). Hence deficient.

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
5	8	Government GNM School, Satna	<ol style="list-style-type: none"> 1. Principal and 04 faculty members are Diploma Holder which is not as per INC/ MPNRC norms. 2. AV Aid Lab and Nutrition Lab not available. 3. Library is deficient in terms of number of books. 4. No Nursing Journal is subscribed. Hence deficient.

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
6	11	Govt. College of Nursing, NSCB Medical College, Jabalpur.	<ol style="list-style-type: none"> 1. The college lacks one classroom for B Sc First year which is being run in mess area. 2. Only 03 regular faculty members are working in college, rest are on attachment basis. The faculty/ student ratio of 1:10 is not maintained. 3. Out of available 07 classrooms, 05 Classrooms are smaller than the prescribed norms. 4. Fundamental lab, Computer lab and Pre-clinical lab are smaller in size than prescribed by norms. 5. College does not have sufficient space to accommodate sanctioned strength of 120 student of B Sc, 60 of Post BSc and 50 students of M Sc. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
7	14	Govt. School of Nursing, BMC, Sagar	<ol style="list-style-type: none"> 1. Separate building/ block is not available for Nursing Course. 2. No sanctioned post of Principal available. Posts of Vice Principal, Professor, Associate Professor are also not as per norms. 3. Labs are not properly equipped. 4. Library is deficient in terms of number of books. Journals are not available in library. 5. Classrooms are less as per the number of nursing courses running in the college. 6. 15 faculty members have been allotted by the Dean. Other 16 Nursing teachers are visiting faculties. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
8	15	Govt. School of Nursing, Main Hospital, Datia	<ol style="list-style-type: none"> 1. Principal is not eligible for the post. 2. Library is deficient in terms of number of books. 3. No journal is subscribed for students. 4. Computer lab is poorly equipped. No computer found working on the day of inspection. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
9	17	Govt. College of Nursing, Mandsaur	<ol style="list-style-type: none"> 1. Institute does not have Principal and Vice Principal as per norms. 2. Permission letter for CHC/ PHC not available. 3. No bus facility for students. 4. Labs are deficient in terms of article/ equipment. 5. Library is deficient in terms of numbers of books. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
10	29	Amar Jyoti Institute of Nursing Science & Research, Jabalpur	<ol style="list-style-type: none"> 1. The college has sufficient built-up area but classrooms and labs were found to be smaller in size against the prescribed norms. 2. 3rd floor of the college is being used for hostel purpose against the prescribed norms. 3. Proper hostel accommodation facilities are not available as per norms as the students have been accommodated in the dormitory rooms. 4. Labs are poorly equipped. 5. Out of 06 computers placed in the computer lab, only 01 computer was found functional. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
11	42	Indian Institute of Nursing Science & Research, Jabalpur	<p>The total area of the college was found to be around 33000 sq. ft. but during inspection following deficiencies found:-</p> <ol style="list-style-type: none"> 1. Library is deficient both in terms of area and number of books. 2. Students are not being posted for CHC/ PHC training. The permission from CHC/ PHC has expired and required to be renewed. 3. Sizes of classrooms and laboratories are smaller than as required by norms. 4. Principal room, HoD Rooms and Faculty rooms are smaller in size than required by the norms. 5. Laboratories are poorly equipped and not as per norms. <p>Hence Deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
12	48	Maa Tripura College of Nursing, Jhabua	<ol style="list-style-type: none"> 1. Labs are smaller in size and not properly equipped. 2. Vice Principal, professor and Associate professor posts are vacant. 3. 12 faculty members have less than one year of experience. 4. Library does not have sufficient number of books. 5. No fee receipt available for Mental hospital, Indore. <p>Hence Deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
13	49	Nagaji Institute of Nursing Science, Gwalior	<ol style="list-style-type: none"> 1. Built up area of college was found to be about 17350 sq. feet which was less than themandatory requisite area as per INC norms but almost sufficient as per MPNRC Norms. 2. Hostel measuring 5300 sq. feet was found but the same was poorly maintained. 3. Six laboratories were found but the size was not as per norms. 4. Library was not found as per prescribed size though books and journal were available. 5. Parent hospital was found 95 bedded. Hence deficient.

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
14	50	Sunderdevi Nursing College, Bhopal	<ol style="list-style-type: none"> 1. Total built up area of the college was found to be lesser (only 8755 sq. feet) against required area (18000 Sq. feet approx.) as per norms of MPNRC. 2. Hostel facility not available. 3. Master Rotation Plan and Clinical Rotation Plan were not as per MPNRC/ INC Norms. 4. Lab size and arrangement of lab, number of dummies not as per norms. 5. Computers were not found in working condition on the day of inspection. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
15	51	Saudamini Institute of Nursing and Research, Rewa	<ol style="list-style-type: none"> 1. There is deficiency of 22 teaching faculty members. 2. Advance Nursing Lab & Skill lab not found. 3. Size of AV Aid lab, multipurpose hall and library are very less. 4. Parent hospital is not functional. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
16	56	BIMTS College of Nursing, Burhanpur	<ol style="list-style-type: none"> 1. Size of fundamental lab and community lab is small. 2. Teacher/Student ratio of 1:10 not maintained. 3. No Journal subscribed since the year 2019. 4. Vice-Principal's room and Associate Professor's room not available. Hence Deficient.



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
17	58	Batra Nursing College, Bhopal	<ol style="list-style-type: none"> 1. Faculty is found to be about 50% of the required sanctioned strength. 2. No parent/ affiliated hospital found. 3. No hostel facility found. 4. Library is not equipped properly. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
18	60	Nandvandan college of Nursing Jabalpur	<ol style="list-style-type: none"> 1. Sizes of all classrooms and laboratories were found smaller than the prescribed norms. 2. Computer lab is smaller in size and has only 08 computers in working condition. 3. Advanced Nursing lab and Foundation labs are combined. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
19	63	The Excellence College of Nursing Sciences & Research Hospital II, Vidisha	<ol style="list-style-type: none"> 1. Classrooms' size found smaller than the size prescribed by MPNRC / INC. 2. Labs are smaller than the prescribed size and poorly equipped. 3. Library has lesser area than the prescribed norms. Further, library has lesser number of books & journals than required. 4. No hand wash facility was found available in labs during inspection. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
20	71	HICT Nursing College, Gwalior	<p>The size of classrooms, library, labs etc. was found as per norms. However, following deficiencies noticed during inspection:</p> <ol style="list-style-type: none"> 1. Regular classes of students are not being conducted for the sessions 2019-20 & 2020-21. 2. Hostel facility is not available. 3. On the day of inspection, college was not having any parent/affiliated hospitals. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
21	75	K. L. Sharma College of Nursing, Sehore.	<ol style="list-style-type: none"> 1. Parent hospital is only 65 bedded as against the mandated 100 beds. 2. Labs are poorly equipped. 3. Pre-clinical lab and Advanced Skill lab not found. 4. Multi-purpose hall is not equipped with necessary facilities. 5. Students are not being sent for training at Community Health Centre. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
22	81	Dr SP Singh Institute of Science and Management, Bhopal	<ol style="list-style-type: none"> 1. The total built up area of the college is less (14700 sq. feet) against prescribed area (18000 Sq. feet approx.) as per norms of MPNRC. 2. Hostel facility not available. 3. Size of classroom, labs and library are lesser than the prescribed norms. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
23	86	College of Nursing, Padhar Hospital, Betul.	<ol style="list-style-type: none"> 1. Nursing foundation lab is small in terms of area and is being run in corridor with no partition. 2. Computer lab is extremely small with 08 non-functional computers. 3. All other labs are smaller in size and deficient in articles/ equipment. 4. 04 classrooms are smaller in size than the prescribed norms. 5. Principal's teaching experience is not as per prescribed norms. 6. No record of mental health clinical nursing found. 7. Teacher / student ratio of 1:10 and student / bed ratio of 1:3 not maintained. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
24	87	Gracious College of Nursing, Balaghat	<ol style="list-style-type: none"> 1. Clinical training facility of neurology, cardiology, oncology etc not available for students. 2. Only 14 eligible faculties are available as against requirement of 28. 1:10 teacher-student ratio is not maintained. 3. Principal of the college is migrated faculty and not registered with MPNRC till date of inspection. 4. The college admitted more students than sanctioned by MPNRC/ INC. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
25	90	T.D. Institute of Professional Studies & Research Centre, Rewa	<p>Physical infrastructure is available at the time of inspection but following deficiencies were observed:-</p> <ol style="list-style-type: none"> 1. Post of Vice Principal is vacant. 2. College lacks 06 faculty members. 3. Administrative area and computer lab are in the administrative block in separate building. <p>Hence Deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
26	100	Indira Gandhi college of Nursing, Jabalpur	<ol style="list-style-type: none"> 1. The college is running in four separate blocks. 2. Classrooms and labs are not as per norms in size and equipment. 3. Advanced Skill lab is not available. 4. Common rooms and playground not available for students. 5. Only 750 books are available in the library. 6. Some faculty members have not completed B.Sc. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
27	109	Jawaharlal Nehru College of Nursing, Rewa	<ol style="list-style-type: none"> 1. Principal and Vice Principal not found on the day of inspection. Their leave applications were also not available. 2. No students were found in clinical area as per rotation plan. 3. Size of all classrooms and labs are small as per MPNRC / INC guidelines. 4. Labs are deficient in terms of articles/ equipment. 5. Anti-ragging committee and anti-ragging measures not found. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
28	114	Vivekanand Nursing College, Bhind	<ol style="list-style-type: none"> 1. Area of teaching block is smaller than the norms. Classrooms are smaller in size. 2. Foundation lab, OBG Lab, CHN Lab and Nutrition lab are small in size. 3. Labs are deficient in equipment/ articles. 4. Only 02 computers found in working condition. 5. Permission withdrawn by MPNRC in 2022. Hence deficient.



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
29	122	Raja Bhoj College of Nursing, Betul	<p>Though the total built up area of the college is 22662 sq. ft., yet following deficiencies were observed during inspection: -</p> <ol style="list-style-type: none"> 1. Foundation lab, Nutrition lab and CHN labs are less than the prescribed size. 2. Library is deficient both in terms of area and number of books. 3. Posts of Principal, Vice Principal, Associate Professors & Asstt. Professors are vacant. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
30	131	S S College of Nursing, Dhar	<ol style="list-style-type: none"> 1. Most of the labs are deficient in terms of area. 2. 10 faculty members have experience of less than 01 year. 3. Principal is a migrated faculty. Hence deficient.



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
31	134	Maruti Institute of Nursing, Narmadapuram.	<ol style="list-style-type: none"> 1. Transport facility is not available. 2. Labs are not properly equipped. 3. Hostel does not have basic facilities. 4. Classrooms and labs size is smaller than the prescribed norms. <p>Hence Deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
32	143	Paradkar Nursing Institute, Narsinghpur	<ol style="list-style-type: none"> 1. Total area of the college is smaller than required by the norms. 2. All labs are deficient in terms of area. 3. Except 03 classrooms, all other classrooms were found smaller in size. Hence deficient.



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
33	144	Aayushman College of Nursing, Jhabua	<ol style="list-style-type: none"> 1. Lab size, equipment & Articles are not as per norms. 2. Adequate books are not available in library. 3. Student/ bed ratio of 1:3 is not maintained. 4. Students are not being sent for training to mental hospital. 5. Basic amenities like electricity and fans are not available in the classrooms. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
34	148	Shri Rawatpura Sarkar Institute of Nursing, Shahdol	<ol style="list-style-type: none"> 1. The built-up area of the college was found to be only 10064 sq.ft. 2. Advanced skill lab, Common Rooms, Multi-purpose hall and HoD rooms not available. 3. M.Sc. Students of the college are working as faculty members. 4. Teacher/Student ratio of 1:10 not maintained. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
35	149	Maruti Institute of Nursing, Seoni	<ol style="list-style-type: none"> 1. Only 12 eligible faculties were found on the date of inspection. Teacher/ Student ratio of 1:10 not maintained. 2. 02 migrated faculties were found who have not got themselves registered with MPNRC. 3. Principal is not eligible for appointment as per norms of experience. 4. Clinical areas of Neurology, nephrology, oncology, cardiology, etc are not available for clinical posting of students. 5. 02 classrooms are not available as per the sanctioned courses. 6. Library is deficient both in terms of area and number of books/ journals. 7. HoD Rooms, faculty rooms, common room, and Community lab are not available. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
36	158	Shri Nimar Group of Institute, Dhar	<ol style="list-style-type: none"> 1. Total built up area of the college is 12600 sq. ft. (approx.) 2. Principal of the college is migrated faculty. 3. The college lacks faculty room, 01 classroom and multi-purpose hall. 4. Most of the Labs are deficient both in terms of area and equipment/ articles. Hence deficient.



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
37	159	Bharat Institute of Nursing, Dindori	<ol style="list-style-type: none"> 1. 02 Classrooms are smaller in size. 2. Computer and Pre-clinical science lab are smaller in size. 3. Library is deficient in terms of number of books. 4. Multi-purpose hall is too small in size. Hence deficient.

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
38	164	Maa Sharda Institute of Nursing, Jhabua	<ol style="list-style-type: none"> 1. Lab size, equipment & Articles are not as per norms. 2. Affiliated hospital is only 55-bedded. 3. Library does not have sufficient number of books. 4. Student/ Bed ratio of 1:3 is not maintained. Hence Deficient.

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
39	173	Mahakal Nursing School, Ujjain	<ol style="list-style-type: none"> 1. The total built up area of the college was found to be only 10939 sq. ft. 2. Size of all classrooms & Labs are smaller than the prescribed norms. 3. Advance Skill Lab, HoD Rooms, Multi-purpose Hall were not available. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
40	174	NRI Institute of Nursing, Bhopal	<ol style="list-style-type: none"> 1. Classrooms are not equipped properly with physical facilities like green board, lecture desk, LCD projector etc. 2. Dummies in Fundamental labs are not sufficient to cater to the needs of all students. 3. Toilet facilities for students are not sufficient. 4. Qualified teaching staff is not available. Only two faculty members are M.Sc. and rest are B.Sc. 5. Advanced Nursing Lab is not available. 6. Computer lab and A V Aid lab are smaller in size than prescribed by norms. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
41	176	Rajdeep Institute of Nursing & Hospital. Bhopal	<ol style="list-style-type: none"> 1. Advanced skill lab, Pre-Clinical lab and A V Aid Lab were not available. 2. Clinical attendance register of students was not available. 3. The affiliated colleges were situated at a distance of 50 and 43 KM as against the norm of 30 KM. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
42	183	Shri Rawatpura Sarkar Institute of Nursing, Mandla	<ol style="list-style-type: none"> 1. All classrooms and laboratories were smaller in size than prescribed by norms. 2. There is no classroom for M. Sc. Course. 3. Vice Principal does not fulfil the eligibility criterion for appointment as Vice Principal. 4. No HoD, No Associate Professor and No Assistant Professor available for teaching. 5. Teacher/ student ratio of 1:10 not maintained. 6. All records are incomplete. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
43	185	Chirayu Institute of Medical Science, Chhindwar a	<ol style="list-style-type: none"> 1. The labs are found to be deficient in articles and equipment. 2. The college is deficient in terms of number of faculty members. There is only 01 M Sc. Faculty. Only 07 faculty members were present and few of them could not produce experience certificate. 3. Only 15 students were found to be present on the day of inspection. <p>Hence Deficient</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
44	187	Kamla School of Nursing, Umaria	<ol style="list-style-type: none"> 1. The total built up area of the college is less than the required norms. 2. Classroom for B Sc (N) IV year is not available. 3. Computer lab, AV Aid Room and Community & Nutrition lab are combined and poorly equipped. 4. Only 478 books are available in library for students. 5. No student was sent for mental health training. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
45	123	Bharati School & College of Nursing, Bagdona (Sarni) Distt. Betul	<ol style="list-style-type: none"> 1. There are only 04 proper classrooms which are too small than the required norms. 02 classrooms are under shed with no rent agreement. 2. The institute is running in three different blocks out of which 02 blocks are rented. 3. Principal and Vice-Principal are not eligible for their posts for B Sc Nursing course. 4. Library is deficient both in terms of area and number of books. <p>Hence the college is suitable (with minor deficiencies) for GNM course but deficient for B Sc Nursing Course.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
46	198	Shri Dhanwanta ri School of Nursing, Betul	<ol style="list-style-type: none"> 1. Articles and equipment in labs are not as per norms. 2. No Asstt. & Associate Professor available for B. Sc. Course. 3. Students are not being sent for mental hospital training. 4. Library has insufficient number of books. <p>Hence Deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
47	131	Swastik College of Nursing, Jabalpur	<ol style="list-style-type: none"> 1. The college has sufficient area for physical infrastructure in terms of total built up area. 2. The classrooms sizes are more or less appropriate as per MPNRC norms but not as per INC norms. 3. Laboratories are appropriate in size but poorly equipped. 4. The affiliated hospital has only 112 beds which are sufficient for training of GNM course only. 5. Library is appropriate in terms of area but not in terms of number of books and journals. 6. Faculty position was severely deficient in 2020-21. 7. Clinical training to students for the year 2020-21 could be provided only since October 2021. <p>Hence, at present, the college is suitable for running only General Nursing & Midwifery (GNM) Course but is Deficient for running B.Sc. and Post B.Sc. Nursing Courses.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
48	201	Accurate Institute of Nursing & Research, Raisen	<ol style="list-style-type: none"> 1. The college has built up area of about 16841 sq. feet which is lesser than prescribed norms of (18000 Sq. feet approx.) as per MPNRC. 2. Labs are smaller in size against the prescribed norms. Nursing Practice Lab, Nutrition Lab and OBG & Pediatric Labs are poorly equipped. 3. CRP (Clinical Rotation Plan) & MRP (Master Rotation Plan) are not as per norms of MPNRC/ INC. 4. There is no parent/ affiliated hospital. Hence deficient.



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
49	206	S.M.S. Energy Nursing College, Indore	<ol style="list-style-type: none"> 1. The built up area of the college is only 12700 sq. ft. 2. Library has only 1223 books and no newspaper, journal was found to be subscribed. 3. AV Aid Lab is not available in the college. 4. No multipurpose Room is available. 5. College was not maintaining Nursing Records. 6. College does not have sufficient community bags for students. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
50	209	Vijayshree Education Institute of Medical Science, Jabalpur	<ol style="list-style-type: none"> 1. Two colleges are running in the same campus i.e. Nursing College and Ayurvedic College. There is no clear-cut demarcation between the two. 2. Community Lab, OBG Lab and nutrition lab were found to be smaller in size than prescribed by norms. 3. On the day of inspection, affiliation with only Elgin hospital was found. Though subsequently college has informed that it has got necessary affiliation. Hence deficient.



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
51	213	Sapphire Institute of Nursing and Science, Harsola, Indore	<ol style="list-style-type: none"> 1. College has insufficient number of community bags for training. 2. No external faculty available. 3. College informed that 19 faculty members are available out of which 12 were present at the time of inspection but college could not provide supporting documents in the form of salary details etc. 4. College was not maintaining admission/ attendance/ training records of students and did not produce at the time of inspection. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
52	219	Ayush College of Nursing, Gwalior	<ol style="list-style-type: none"> 1. Four classrooms were found but none of them was as per the norms. 2. Six labs were found but none of them was as per norms in terms of area. 3. Library was found but not as per the norms in terms of area. 4. Principal office, multi-purpose hall, teacher's room etc. were not found as per the area prescribed. 5. The total built up area of the college was found to be 13000 sq. feet as against required area of 18000 sq. ft. 6. On the day of inspection no students or faculty were present. 7. Parent hospital was equipped but found not running. 8. No record of CHC/ PHC training provided and No permission letter produced. 9. No hostel facility found. 10. Clinical rotation plan and Master Rotation plan not found. 11. No record of anti-ragging measures found. Hence deficient.



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
53	224	Kamtanath school of Nursing, Gwalior	<ol style="list-style-type: none"> 1. Regular classes for admitted students for the session 2019-20 are not being conducted. 2. For the session 2020-21, only 40 students were admitted for B.Sc. Nursing Course but students left the college. 3. The college has no affiliated/ parent hospital for training of the students. 4. No hostel facility available. <p>Hence Deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
54	225	KNP College of Nursing, Bhopal	<ol style="list-style-type: none"> 1. Parent hospital is not in working condition. 2. Affiliated hospitals do not have sufficient number of beds for maintaining 1:3 ratio of students and beds. 3. OBG & Paediatric lab, Advance Nursing lab and pre-clinical science lab are smaller in size than required by the norms. 4. Teacher/ student ratio is not maintained as 1:10. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
55	226	Pt. T P Shukla College of Nursing, Anuppur	<ol style="list-style-type: none"> 1. No faculty was found on the day of inspection and college could not provide details of faculty members. 2. Books in library and equipment in labs are not as per norms. 3. Students are not being sent for training in hospital. 4. Advanced Skill Lab was not found available. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
56	229	Shri Narayan School of Nursing Education & Research, Gwalior	<ol style="list-style-type: none"> 1. Classes of admitted students are not being conducted in the college. 2. No facility for clinical training of students is available after closure of the hospital in 2019-20. 3. Physical infrastructure is there but it is not inoperational condition. 4. College did not apply for recognition or permission for the next session after 2019-20 for BSc Nursing. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
57	230	Shri Ramnath Singh Mahavidyalaya College of Nursing, Gormi, Bhind	<ol style="list-style-type: none"> Owner informed that the college has been closed since 2020 as only 05 students took admission who were given general promotion, thereafter no student turned up for second year. No faculty / students were found at the time of inspection. The owner has surrendered the college. Total built up area of the college was found to be around 10360 sq. feet. Two classrooms out of three were not found as per norms. Five labs were found but not as per norms in terms of area. Library size was not as per the norms, and no books/ journals were found. Only Principal's room was found but not as per norms. Parent Hospital was found closed. No record/ affiliation of CHC/ PHC was found. No record of CRP/ MRP was found. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
58	237	Shri Rawatpura Sarkar College of Nursing, Jabalpur	<ol style="list-style-type: none"> 1. Advanced Nursing Lab, community lab and AV Aid lab are smaller in size and poorly equipped. 2. Principal was not available on the day of inspection and vice Principal post is vacant. Most faculty members are freshers. 3. In parent hospital only 100 beds were found and since last 06 months they are not permitted to admit patient due to non-availability of NOC of Fire Department. 4. Registers/ Record are not maintained properly. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
59	238	Shri Sadguru Sainath College of Nursing, Rewa.	<ol style="list-style-type: none"> 1. The total built up area of the college was found to be 11960 sq. ft. (approx.) as against the requirement of around 18000 sq. ft. 2. Size of some classrooms and labs were found to be smaller than the norms. 3. Parent hospital was found to be 15-bedded only. 4. Multi-purpose hall is rented but not in working condition. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
60	242	Wisdom Institute of Nursing, Katni	<ol style="list-style-type: none"> 1. Principal is not eligible for the post and the post of Vice Principal is vacant. 2. Only 04 classrooms are available against the requirement of 06. 3. College built up area (13259 sq.ft.) is less than the norms. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
61	244	Radhakrishna Nursing College, Barwani	<ol style="list-style-type: none"> 1. College has only 04 classrooms as against the requirement of 05. 2. Nutrition lab and Fundamental lab is deficient in terms of articles/ equipment. 3. No valid contract for bus facility. 4. Faculties are not competent for B Sc programme. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
62	255	JSR Global College of Nursing, Bhopal	<ol style="list-style-type: none"> 1. Advance Skill lab, AV Aid Lab, Multipurpose Hall and Common room not available in the college. 2. Parent hospital is 60 bedded as against the norm of 100 beds. Hence deficient.



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
63	257	Mahadev institute of Nursing, Sehore	<ol style="list-style-type: none"> 1. The college has total built up area of around 7802 Sq. feet only against the prescribed norms of 18000 Sq. ft. (approx.) of MPNRC. 2. The college has 05 classrooms with sizes varying from 326 sq. feet to 815 sq. feet which is smaller than the prescribed norms. 3. Labs are also smaller in size varying from 209 sq. feet to 388 sq. feet and are poorly equipped. 4. Parent/affiliated hospital of the college is not running properly. Further, at the time of inspection, no patients/ doctors were found. 5. No clinical facility is available to the students. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
64	263	Radharani Nursing College, Shahdol	<ol style="list-style-type: none"> 1. The total built up area of the college is only 5028 sq. ft. Further construction was found underway during inspection. 2. Principal room, Vice Principal Room, and classrooms for B.Sc. 3rd and 4th year, GNM 3rd year, Obstetrics, Gynaecology & Paediatric lab, AV Aid labs were not available. 3. No hand wash facility in any of the labs was found. 4. The posts of Principal & Vice Principal are vacant. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
65	271	Trinity Institute of Nursing, Bhopal	<ol style="list-style-type: none"> 1. Principal & vice Principal not appointed. 2. Student / bed ratio of 1:3 is not maintained. 3. No proper AV aid Room was found. Hence deficient .



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
66	277	Scholars Home Nursing College, Satna	<ol style="list-style-type: none"> 1. CHN Lab, Nutrition lab and OBG & Paediatric Labs are not available. 2. Sizes of classrooms are smaller. 3. Library is deficient in terms of number of books. Only 193 books were found during inspection. 4. Laboratories are not properly equipped. Hence deficient.



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
67	278	Shri Gayatri Vidyapeeth , Khargone	<ol style="list-style-type: none"> 1. The total built up area of the college is about 14100 sq. ft. as against the requirement of 18000 sq. ft. 2. Size of all classrooms and labs is smaller than prescribed by the norms. 3. The books in library are less than the required. 4. Initially 03 Faculty members were appointed but due to non-promotion of students the same were not continued. The college has communicated its intention to close the college to MPNRC/ MPMSU after the present batch of students pass out of the college. Hence Deficient.

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
68	280	Smita College of Nursing, Jabalpur.	<ol style="list-style-type: none"> 1. The College has only 02 classrooms against the requirement of 04. 2. No faculty room or room for Vice Principal was found available. 3. Library and OBG lab are combined. Library has only 750 books. 4. AV Aid Room and Advanced Nursing Lab are not available. 5. Multi-purpose hall is smaller in area and not properly equipped. 6. Permission from CHC/ PHC was not available. <p>Hence Deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
69	282	Jabalpur Public College of Nursing, Jabalpur	<ol style="list-style-type: none"> 1. Advanced Nursing Lab was not found during inspection. 2. Few labs i.e. Community Lab & AV Aids Lab were found smaller in size and deficient in equipment. 3. Multi-purpose hall is smaller in size. 4. Library was found to be deficient in terms of number of books. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
70	289	Satpura Nursing Co-ed College Pandupipariya, Distt. Chhindwara	<ol style="list-style-type: none"> 1. The posts of Principal & Vice Principal are vacant. 2. 05 Faculty were present for 110 students. 3. Computer lab not found during inspection. Hence deficient.

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
71	292	Reliance Institute of Nursing, Umaria	<ol style="list-style-type: none"> 1. The total functional area of the college was found to be 8888.37 sq.ft. Fresh construction was seen underway. 2. Only 02 classrooms are available. 3. Though permission was given by MPNRC for admission of B. Sc. students but no student took admission. 4. All labs are deficient in area, equipment and articles. 5. Principal is not eligible for the post. 6. No student has been sent for mental health training. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
72	293	N S Institute of Medical Science, Chhindwar a	<ol style="list-style-type: none"> 1. Principal of the college is migrated faculty. 2. The college lacks 03 classrooms. 3. Library is deficient in terms of both area and number of books. 4. Vice Principal office is not available. <p>Hence deficient.</p>



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
73	295	Pt. Ramgopal Tiwari College of Nursing, Anuppur	<ol style="list-style-type: none"> 1. All classrooms are smaller in size. 2. Pre-clinical Science lab, computer lab and OBG lab are smaller in size and equipment/ articles. 3. Library is deficient both in terms of area and number of books. 4. Most of lab registers were incomplete. 5. Principal is not eligible for the post and the post of Vice Principal is vacant. <p>Hence deficient.</p>

Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
74	292	Reliance Institute of Nursing, Anuppur	<ol style="list-style-type: none"> 1. Only 05 classrooms are available. There is no classroom for GNM-II and III year. Size of classrooms is also not up to the mark. 2. Total 05 faculties including the Principal are migrated faculty. 3. No dedicated Associate Professor is available for B Sc (Nursing) programme. Hence deficient



Sl. No.	Sl. No. of Status report	Name of the college	Deficiencies observed
75	299	Mekalsuta College, Dindori	<ol style="list-style-type: none"> 1. 04 classrooms are smaller in size. 2. Library is deficient both in terms of area and number of books. 3. Total built up area of the college is smaller than the prescribed norms. 4. Transport facility is inadequate for students. 5. Size of labs is smaller than the prescribed size. <p>Hence deficient</p>

